



Gasbeschaffenheitswerte für alle Ausspeisepunkte der NGP im Citybereich

(Brennwert unter Normbedingungen)

	Brennwert [kWh/m ³]	Dichte [kg/m ³]	CO ₂ Stoffmengenanteil [mol %]	H ₂ Stoffmengenanteil [mol %]
Okt 21	11,256	0,750	0,384	0,000
Nov 21	11,384	0,776	0,982	0,000
Dez 21	11,404	0,779	0,983	0,000
Jan 22	11,450	0,789	1,241	0,000
Feb 22	11,393	0,772	0,879	0,000
Mrz 22	11,328	0,760	0,630	0,000
Apr 22	11,364	0,766	0,782	0,000
Mai 22	11,490	0,790	1,164	0,000
Jun 22	11,563	0,808	1,654	0,000
Jul 22	11,535	0,802	1,446	0,000
Aug 22	11,562	0,802	1,368	0,000
Sep 22	11,564	0,800	1,263	0,000
Okt 22	11,600	0,805	1,462	0,000
Nov 22	11,563	0,802	1,442	0,000
Dez 22	11,510	0,796	1,340	0,000
Jan 23	11,479	0,792	1,219	0,000
Feb 23	11,502	0,794	1,226	0,000
Mrz 23	11,486	0,793	1,222	0,000
Apr 23	11,513	0,796	1,263	0,000
Mai 23	11,491	0,794	1,206	0,000
Jun 23	11,526	0,797	1,226	0,000
Jul 23	11,568	0,799	1,309	0,000
Aug 23	11,526	0,797	1,301	0,000
Sep 23	11,575	0,803	1,432	0,000
Okt 23	11,543	0,797	1,238	0,000
Nov 23	11,511	0,795	1,334	0,000
Dez 23	11,507	0,792	1,266	0,000
Jan 24	11,487	0,793	1,288	0,000
Feb 24	11,519	0,795	1,271	0,000
Mrz 24	11,508	0,797	1,349	0,000



Abrechnungsbrennwert an den Einspeisepunkten der NGP / ontras in kWh/m3

(Brennwert unter Normbedingungen)

	Eiche	Neu Fahrland	Fahrland	Paaren	Luftschiff- hafen II	Potsdam Nord Voltaireweg	Potsdam Süd Michendorfer Chaussee	Luftschiff- hafen I	Amundsenstr.	Nesselgrund
Okt 21	11,262	11,298	11,283	11,284	11,259	11,294	11,258	11,261	11,261	11,243
Nov 21	11,4	11,4	11,399	11,402	11,4	11,397	11,398	11,407	11,4	11,345
Dez 21	11,421	11,418	11,420	11,418	11,422	11,424	11,421	11,42	11,422	11,362
Jan 22	11,458	11,459	11,457	11,46	11,457	11,474	11,458	11,464	11,465	11,422
Feb 22	11,419	11,42	11,420	11,419	11,419	11,42	11,419	11,425	11,425	11,338
Mrz 22	11,341	11,343	11,339	11,34	11,341	11,337	11,351	11,344	11,347	11,3
Apr 22	11,387	11,387	11,396	11,384	11,388	11,392	11,32	11,394	11,38	11,334
Mai 22	11,512	11,53	11,530	11,538	11,504	11,525	11,404	11,5	11,54	11,434
Jun 22	11,569	11,568	11,567	11,568	11,568	11,568	11,564	11,556	11,54	11,549
Jul 22	11,534	11,539	11,536	11,542	11,533	11,530	11,541	11,551	11,561	11,542
Aug 22	11,554	11,553	11,554	11,562	11,564	11,559	11,607	11,534	11,56	11,569
Sep 22	11,563	11,558	11,559	11,554	11,563	11,561	11,574	11,581	11,556	11,558
Okt 22	11,599	11,574	11,571	11,571	11,602	11,602	11,603	11,603	11,592	11,599
Nov 22	11,562	11,559	11,559	11,559	11,565	11,564	11,563	11,566	11,548	11,563
Dez 22	11,514	11,517	11,517	11,514	11,519	11,513	11,5	11,506	11,573	11,505
Jan 23	11,481	11,484	11,485	11,483	11,483	11,480	11,464	11,467	11,573	11,479
Feb 23	11,501	11,501	11,501	11,502	11,500	11,500	11,501	11,502	11,500	11,505
Mrz 23	11,486	11,491	11,492	11,490	11,486	11,486	11,487	11,486	11,525	11,484
Apr 23	11,515	11,511	11,514	11,515	11,515	11,507	11,517	11,510	11,516	11,513
Mai 23	11,491	11,464	11,464	11,484	11,492	11,490	11,494	11,496	11,470	11,494
Jun 23	11,523	11,464	11,465	11,488	11,534	11,523	11,538	11,525	11,474	11,540
Jul 23	11,567	11,464	11,465	11,512	11,590	11,563	11,589	11,541	11,475	11,593
Aug 23	11,526	11,489	11,495	11,498	11,533	11,523	11,530	11,529	11,475	11,537
Sep 23	11,579	11,543	11,552	11,607	11,585	11,573	11,584	11,573	11,475	11,581
Okt 23	11,542	11,549	11,552	11,590	11,543	11,543	11,506	11,541	11,528	11,542
Nov 23	11,510	11,511	11,516	11,520	11,510	11,512	11,509	11,508	11,508	11,513
Dez 23	11,506	11,497	11,497	11,491	11,506	11,508	11,507	11,497	11,503	11,508
Jan 24	11,483	11,479	11,479	11,478	11,485	11,483	11,495	11,482	11,482	11,491
Feb 24	11,518	11,510	11,509	11,509	11,520	11,517	11,519	11,517	11,518	11,522
Mrz 24	11,508	11,507	11,510	11,514	11,509	11,508	11,509	11,508	11,508	11,508



CO2 Stoffmengenanteil an den Einspeisepunkten der NGP / Ontras in mol %

(Brennwert unter Normbedingungen)

	Eiche	Neu Fahrland	Fahrland	Paaren	Luftschiff- hafen II	Potsdam Nord Voltaireweg	Potsdam Süd Michendorfer Chaussee	Luftschiff- hafen I	Amundsenstr.	Nesselgrund
Okt 21	0,406	0,653	0,537	0,544	0,387	0,686	0,378	0,365	0,399	0,320
Nov 21	1,059	1,058	1,049	1,062	1,066	1,032	1,058	1,080	1,052	0,806
Dez 21	1,024	1,012	1,019	1,013	1,028	1,149	1,022	1,020	1,023	0,799
Jan 22	1,272	1,274	1,269	1,278	1,266	1,340	1,269	1,293	1,296	1,134
Feb 22	0,976	0,983	0,978	0,976	0,978	0,977	0,976	0,995	0,997	0,679
Mrz 22	0,684	0,691	0,675	0,681	0,682	0,670	0,724	0,694	0,708	0,514
Apr 22	0,876	0,878	0,905	0,863	0,878	0,893	0,623	0,889	0,847	0,653
Mai 22	1,253	1,309	1,312	1,343	1,215	1,290	0,935	1,191	1,374	0,957
Jun 22	1,688	1,681	1,673	1,678	1,682	1,684	1,656	1,653	1,280	1,566
Jul 22	1,423	1,453	1,467	1,467	1,399	1,487	1,440	1,505	1,561	1,434
Aug 22	1,385	1,383	1,384	1,424	1,356	1,364	1,412	1,223	1,534	1,361
Sep 22	1,256	1,349	1,354	1,376	1,188	1,312	1,232	1,237	1,460	1,339
Okt 22	1,465	1,437	1,424	1,365	1,467	1,458	1,467	1,467	1,419	1,459
Nov 22	1,443	1,430	1,433	1,424	1,447	1,441	1,444	1,442	1,358	1,442
Dez 22	1,351	1,366	1,373	1,378	1,353	1,351	1,332	1,345	1,506	1,324
Jan 23	1,225	1,237	1,239	1,228	1,225	1,222	1,202	1,197	1,506	1,216
Feb 23	1,231	1,230	1,231	1,231	1,224	1,228	1,218	1,228	1,230	1,225
Mrz 23	1,227	1,235	1,235	1,236	1,228	1,229	1,223	1,237	1,229	1,213
Apr 23	1,262	1,255	1,268	1,283	1,263	1,266	1,257	1,275	1,245	1,272
Mai 23	1,209	1,240	1,239	1,257	1,206	1,206	1,200	1,212	1,243	1,204
Jun 23	1,227	1,240	1,240	1,243	1,218	1,225	1,224	1,207	1,248	1,236
Jul 23	1,310	1,240	1,239	1,217	1,327	1,308	1,334	1,392	1,249	1,311
Aug 23	1,302	1,295	1,304	1,299	1,312	1,300	1,301	1,395	1,249	1,301
Sep 23	1,422	1,399	1,422	1,334	1,435	1,431	1,436	1,142	1,249	1,436
Okt 23	1,237	1,387	1,384	1,357	1,240	1,238	1,202	1,215	1,348	1,231
Nov 23	1,337	1,355	1,374	1,384	1,336	1,335	1,337	1,322	1,342	1,326
Dez 23	1,255	1,271	1,265	1,281	1,255	1,251	1,252	1,268	1,264	1,304
Jan 24	1,287	1,273	1,270	1,270	1,290	1,287	1,261	1,290	1,287	1,306
Feb 24	1,269	1,295	1,297	1,295	1,269	1,269	1,270	1,273	1,269	1,274
Mrz 24	1,349	1,358	1,362	1,366	1,350	1,347	1,350	1,350	1,346	1,352



Gasbeschaffenheitswerte am Einspeisepunkt der NGP / NBB (NKP Groß Glienicke)

	Brennwert [kWh/m ³]	Dichte [kg/m ³]	CO ₂ Stoffmengenanteil [mol %]	H ₂ Stoffmengenanteil [mol %]
Okt 21	11,247	0,752	0,474	-
Nov 21	11,333	0,765	0,791	-
Dez 21	11,380	0,773	0,881	-
Jan 22	11,455	0,790	1,274	-
Feb 22	11,353	0,765	0,792	-
Mrz 22	11,332	0,762	0,692	-
Apr 22	11,334	0,762	0,761	-
Mai 22	11,492	0,796	1,364	-
Jun 22	11,523	0,806	1,716	-
Jul 22	11,517	0,802	1,548	-
Aug 22	11,526	0,801	1,489	-
Sep 22	11,527	0,802	1,472	-
Okt 22	11,587	0,805	1,503	-
Nov 22	11,556	0,802	1,481	-
Dez 22	11,516	0,797	1,387	-
Jan 23	11,473	0,793	1,264	-
Feb 23	11,497	0,794	1,258	-
Mrz 23	11,483	0,793	1,271	-
Apr 23	11,502	0,796	1,326	-
Mai 23	11,480	0,796	1,350	-
Jun 23	11,505	0,798	1,382	-
Jul 23	11,544	0,800	1,414	-
Aug 23	11,496	0,797	1,436	-
Sep 23	11,553	0,802	1,419	-
Okt 23	11,530	0,797	1,281	-
Nov 23	11,512	0,795	1,343	-
Dez 23	11,505	0,794	1,328	-
Jan 24	11,484	0,793	1,318	-
Feb 24	11,515	0,796	1,313	-
Mrz 24	11,504	0,796	1,363	-



Gasbeschaffenheitswerte am Einspeisepunkt der NGP / NBB (NKP Groß Glienicke Villenpark)

	Brennwert [kWh/m ³]	Dichte [kg/m ³]	CO ₂ Stoffmengenanteil [mol %]	H ₂ Stoffmengenanteil [mol %]
Okt 21	11,246	0,743	0,335	-
Nov 21	11,251	0,744	0,349	-
Dez 21	11,263	0,747	0,420	-
Jan 22	11,338	0,765	0,792	-
Feb 22	11,257	0,744	0,372	-
Mrz 22	11,272	0,747	0,424	-
Apr 22	11,285	0,752	0,525	-
Mai 22	11,338	0,763	0,719	-
Jun 22	11,476	0,794	1,348	-
Jul 22	11,509	0,799	1,381	-
Aug 22	11,540	0,792	1,201	-
Sep 22	11,557	0,800	1,290	-
Okt 22	11,587	0,804	1,448	-
Nov 22	11,556	0,798	1,351	-
Dez 22	11,514	0,784	1,279	-
Jan 23	11,502	0,794	1,239	-
Feb 23	11,539	0,795	1,226	-
Mrz 23	11,495	0,790	1,175	-
Apr 23	11,509	0,792	1,189	-
Mai 23	11,498	0,791	1,135	-
Jun 23	11,526	0,796	1,220	-
Jul 23	11,565	0,800	1,310	-
Aug 23	11,525	0,798	1,329	-
Sep 23	11,572	0,802	1,412	-
Okt 23	11,534	0,794	1,192	-
Nov 23	11,514	0,791	1,222	-
Dez 23	11,513	0,791	1,219	-
Jan 24	11,506	0,790	1,221	-
Feb 24	11,522	0,790	1,184	-
Mrz 24	11,537	0,790	1,108	-